

• PRODUCT INTRODUCTION •

□□□	□□□	
□□□□□	□□□ □□□□ □ □□□□□ □ □□□□□ □□□□	
□□□□ PP	□□□□□□	
□□□□□□	□□□□□□ □□□□□□ □□□□□□□□ □□ 60 □□□□ (BIFMA)	
Gaslift	XQ 85MM □□□□ gaslift (BIFMA)	
□□□□	□□ 2.5 □□□□□ □□□□ (BIFMA)	
□□□□	□□□□□ □□□□	
□□□□□□ □□□	12mm □□□□□□□□ □□□□□ □□□□	
□□□□□□ □□□□	PP	
□□□□ □□□	*	
□□□□□	□□ 340 □□□□□□ □□□□□ (BIFMA) □ □□□ 1136 □□□□□	
□□□□□ □□□□	*	
□□□□ □□□□	*	
□□ / □□□	□□□□□ Width	60
	□ □□□□□epth	55
	□□□□□ H□□□□□□□	59
	S□□□□□ Width	
	S□ □□□□epth	
	S□□□□□ H□□□□□□□	
	□□□□□ □□□ H□□□□□□□	
	□□□□□ Width	
□□□□	3 □□□□□□□□□ / □□□	
CBM	0.07 / □□□□□□□□□□	
/ □□□□□□ □□□□□	20GP	40HQ
□□□□ □□□□□□□ □□□□	375	945

• PARTS REFERENCE •



• ENGINEERING CASE •



OUR PHOTOS



CERTIFICATE

OUR SERVICE

• 100% 100% 100% 100% .

100% 100% 100% .

100% 100% .

100% 100% 100% 100% .

100% 100% 100% .

100% 100% 100% 100% - 100% .

100% 100% 100% 100% 100% 100% 100% 100% :100% 100% 100% 100%

100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

100% 100% 100% 100% 100% .

FAQ

q1: 100% 100% 100%

a: 15-7 100% 100% 100% 100% 100% .100% 100% 100% 100% .100%days 100% 100% 100% .

q2: 100% 100% 100%

a: 100% 100% 100% 100% 100% .

q3: 100% 100% 100% 100%

a:Y100% 5 100% 100% 100% .100% 100% 100% 100% 100% 100% 100% 100% 100% .

q4: 100% 100% 100% 100%

a: 100% 100% 100% 100% 10 100% 100% 100% 100% .

