


## • PRODUCT INTRODUCTION •



البند	الوصف	
تنجيد	PVC جودة عالية بو وسادة	
الخرع	النايلون الخروع	
GASTLIFT	الأسود 65mm Gaslift	
آلية	مع آلية قفل في الموقع T11LT	
رغوة	± 45kgs □□□□□□□□ □□□□ □□□□ □□□□□□□□	
الخشب الرفائقي	مقعد الخشب الرفائقي 18 مم	
مسند ذراع	مسند ذراع البلوط	
دعم قطني	*	
قاعدة	330mm قاعدة خشبية	
مسند الرأس	□□□	
مسند القدمين	*	
الحجم / سم	□ المجموع IDTH	65
	□ المجموع epth	83
	المجموع □□□ ثمانية	112-119
	□ IDTH تناول الطعام	51
	□ epth تناول الطعام	52
	□ تناول الطعام □□□ ثمانية	50-57
	ARM □ IDTH	7.
الحرمة	2PCS / CTN	
CBM	0.53 / pc	
تحميل الكمية / قطع	20GP	40hq
	50-70	130-150

## • PARTS REFERENCE •



WORKSHOP



• ENGINEERING CASE •





---

CERTIFICATE

---

Weight: 14.20 kg  
Sample Description: 170 mm x 170 mm x 1.2 mm (0.047 x 0.047 x 0.047)  
Other Description: Seat height: 450 mm



Weight: 14.20 kg  
Sample Description: 170 mm x 170 mm x 1.2 mm (0.047 x 0.047 x 0.047)  
Other Description: Seat height: 450 mm



Weight: 14.20 kg  
Sample Description: 170 mm x 170 mm x 1.2 mm (0.047 x 0.047 x 0.047)  
Other Description: Seat height: 450 mm



Weight: 14.20 kg  
Sample Description: 170 mm x 170 mm x 1.2 mm (0.047 x 0.047 x 0.047)  
Other Description: Seat height: 450 mm



Weight: 14.20 kg  
Sample Description: 170 mm x 170 mm x 1.2 mm (0.047 x 0.047 x 0.047)  
Other Description: Seat height: 450 mm



Weight: 14.20 kg  
Sample Description: 170 mm x 170 mm x 1.2 mm (0.047 x 0.047 x 0.047)  
Other Description: Seat height: 450 mm



Weight: 14.20 kg  
Sample Description: 170 mm x 170 mm x 1.2 mm (0.047 x 0.047 x 0.047)  
Other Description: Seat height: 450 mm



Weight: 14.20 kg  
Sample Description: 170 mm x 170 mm x 1.2 mm (0.047 x 0.047 x 0.047)  
Other Description: Seat height: 450 mm

Table with 4 columns: Item, Material, Quantity, and Unit. It lists details for the chair's components.



# SHIPPING

00.0.00 0 00 0 00,

1 \* 40HQ40 \* 2,000 0.25-1500 (00 0.1فيHQ.35-1500 (00 0.2في.0 0000, 0 0 0 0.

0.00 00, 00 000, 0 00(0 00), 0 00 (0 0 00), 000 0,

0.0 000 00 00 00.

# OUR SERVICE

00 0000 0 0000.