


• PRODUCT INTRODUCTION •



□□□□□□ □□□.	S-832	
□□□□□□	□□□□ □□□□	
□□□□	± 35-40kgs □□□□□□ □□□□□□ □□□□	
□□□□□□	□□□□□□ □□□□□□□□ □□□□□□ □□□	
□□□□□□□□ □□□□□□ □□□□□□□□	□□□□ □□ □□	
□□□□□	□□□□□□□□□□ □□□□□□□□ □□□	
□□□□□ □□□□□ (L * W * H / □□)	76 * 80 * 75	
□□□□□□ □□□□□□ (L * W * H / □□)	176 * 80 * 75	
□□□□□□ □□□□□ □□□□□□□□	1.7□□□□□□□□ / □□□□□ □□□	
□□□□□ / □□□□□□□□ □□□□□□	20GP	40HQ
	16-20	45-48



WORKSHOP



● ENGINEERING CASE ●



OUR PHOTOS



CERTIFICATE



SHIPPING

□□□□□□ □□□□□□□□ □□ □□□□□□ □□□□□□ □□□ □□□□□□ .□ □

15-25 40 * 1 □□□□□□ □□□ □□□HQ □ 15-35 40 * 2 □□□□□□ □□□□□□HQ □□□ □□□□□□

□□□□□□ .□ EX □ □□□□□ □□□ □ □ CIF □ C&F □ LC □□□ □□□□ □

□□□□□□ □□ □□□□□□□□ □□□□ □□□□□□□□.

