

4 400000000 00 000000 0000 00000D 00000

<0000 td = "514" valign = "00000" colspan = "2" style = "385.6500 :00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt :00000 0000;0000 0000 0000 1.0000pt 0000 0000 000 1.0000 :00000 0000 ;0000 0000 0000;">

00000

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 1.0000 :00000-0000 p 0000 0000 0000;">

00000 000 000 00

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 1.0000 :00000-0000 p 0000 0000 0000;">

000) 000000 BIFMA)

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 0000 0000 0000 000 1.0000 :00000-0000;">

0000 000000 0000 Dia50mm (BIFMA)

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 0000 0000 000 1.0000 :00000-0000;">

0" 85 00000 000 00000 (BIFMA)

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 0000 0000 000 1.0000 :00000-0000;">

000000 0000 0" 2.5 00 0000 000000

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 0000 0000 000 1.0000 :00000-0000;">

0" 5) 0" 42 00 00000 000)

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 0000 0000 000 1.0000 :00000-0000;">

0" 12 0000 0000

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 0000 0000 000 1.0000 :00000-0000;">

PP 4 0000000D 00 00000 00 PU (BIFMA)

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 0000 0000 000 1.0000 :00000-0000;">

0000000

<0000 td = "514" valign = "00000" colspan = "2" 385.6500 :0000" = 00000pt; 0.0000 :00000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :0000-0000;000 :0000-0000pt ;000 :00000-0000;0000 0000 0000 0000 0000 000 1.0000 :00000-0000;">

0" 320 000000 0000 (BIFMA), 0" 1136 000000.

<td = "514" valign = "top" colspan = "2" 385.6500 :width" = 385.6500pt; 0.0000 :height" 5.4000pt 0.0000pt 5.4000pt; 1.0000 :width-px;px :height-px;px ;px :width-px;px;px px px px px 1.0000 :width-px;">

*

<td = "514" valign = "top" colspan = "2" 385.6500 :width" = 385.6500pt; 0.0000 :height" 5.4000pt 0.0000pt 5.4000pt; 1.0000 :width-px;px :height-px;px ;px :width-px;px;px px px px px 1.0000 :width-px;">

px px px px px px

<td = "514" valign = "top" colspan = "2" 385.6500 :width" = 385.6500pt; 0.0000 :height" 5.4000pt 0.0000pt 5.4000pt; 1.0000 :width-px;px :height-px;px ;px :width-px;px;px px px px px 1.0000 :width-px;">

2 px ' / ctn

<td = "514" valign = "top" colspan = "2" 385.6500 :width" = 385.6500pt; 0.0000 :height" 5.4000pt 0.0000pt 5.4000pt; 1.0000 :width-px;px :height-px;px ;px :width-px;px;px px px px px 1.0000 :width-px;">

0.10 / pc

<td = "257" valign = "top" colspan = "2" 192.8500 :width" = 192.8500pt; 0.0000 :height" 5.4000pt 0.0000pt 5.4000pt; 1.0000 :width-px;px :height-px;px 1.0000 :width-px;px;px px px px px;px px px px;px px px px 1.0000 :width-px;px;">

40HQ

<td = "257" valign = "top" colspan = "2" 192.8500 :width" = 192.8500pt; 0.0000 :height" 5.4000pt 0.0000pt 5.4000pt; 1.0000 :width-px;px :height-px;px 1.0000 :width-px;px;px ;px :width-px;px;px;px px px px px px px px px;">

680-750

| | | |
|----------------------|----------------------|---------|
| px px | | |
| px px px | | |
| px px PP | | |
| px px | | |
| px px px px | | |
| px px px px | | |
| px px | | |
| px px px | | |
| px px px px | | |
| px px px px px px px | | |
| px px px | | |
| px px px px | | |
| px px px px | | |
| px" / px px | px" W px px | 64 |
| | px px epth | 65 |
| | px px px px px | 102-110 |
| | px px px W px px | 48 |
| | px px px px epth | 48 |
| | px px px px px px px | 49-57 |
| | px px W px px | 8 |
| px px px | | |
| CBM | | |

| | |
|------------------|---------|
| □□ / □□□□ □□□□ ' | 20GP |
| | 280-350 |

● PARTS REFERENCE ●



● WORKSHOP ●



• ENGINEERING CASE •



OUR PHOTOS



CERTIFICATE

CONTACT US



Manager : Rachel

Whatsapp/Wechat:

0086-13590681820



E-mail:

rachel@new-city.cn