


• PRODUCT INTRODUCTION •



<table td = "514" valign = "top" colspan = "2" style = "385.6500 :width; 0.0000 :height; 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table

<table td = "136" valign = "top" colspan = "2" style = "102.5500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table

<table td = "514" valign = "top" colspan = "2" style = "385.6500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table Table

<table td = "136" valign = "top" colspan = "2" style = "102.5500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table PP

<table td = "514" valign = "top" colspan = "2" style = "385.6500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table (BIFMA)

<table td = "136" valign = "top" colspan = "2" style = "102.5500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table

<table td = "514" valign = "top" colspan = "2" style = "385.6500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table 50 (BIFMA)

<table td = "136" valign = "top" colspan = "2" style = "102.5500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table

<table td = "514" valign = "top" colspan = "2" style = "385.6500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table 85 (BIFMA)

<table td = "136" valign = "top" colspan = "2" style = "102.5500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

Table

<table td = "514" valign = "top" colspan = "2" style = "385.6500 :width; 5.4000pt 0.0000pt 5.4000pt 0.0000pt 5.4000pt; 1.0000 :border-top; 1.0000 :border-bottom; 1.0000 :border-left; 1.0000 :border-right; ">

```
<table td = "136" valign = "102.5500 :table" = table "tablept; 0.0000 :tablept 5.4000pt 0.0000pt
5.4000pt; 1.0000 :table tablept 1.0000 :table-table ;table table tablept :table-table ;table table table
table table table 1.0000 :table-table-table ;table;">
```

```
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center; font-family: sans-serif; font-size: 12px;">
|  |  |  |  |
| --- | --- | --- | --- |
|  |  |  |  |

```

```
<table td = "136" valign = "102.5500 :table" = table "tablept; 0.0000 :tablept 5.4000pt 0.0000pt
5.4000pt; 1.0000 :table tablept 1.0000 :table-table ;table table tablept :table-table ;table table table
table table table 1.0000 :table-table-table ;table;">
```

```
<table border="0" style="width: 100%; border-collapse: collapse;">
|  |  |
| --- | --- |
| A  B | C  D |

```

[illegible]

```
<td = "514" valign = "top" colspan = "2" 385.6500 :pt; 0.0000 :pt
5.4000pt 0.0000pt 5.4000pt; 1.0000 :pt-pt ; :pt-pt ; :pt-pt ;
pt pt 1.0000 :pt-pt;">
```

```
<td td = "136" valign = "102.5500 :pt" = "pt; 0.0000 :pt 5.4000pt 0.0000pt  
5.4000pt; 1.0000 :pt pt 1.0000 :pt-pt ;pt pt pt :pt-pt ;pt pt pt  
pt pt pt 1.0000 :pt-pt ;pt;">
```

[illegible]

```
<td td = "136" valign = "102.5500 :0000" = 00000 "0000pt; 0.0000 :00000pt 5.4000pt 0.0000pt
5.4000pt; 1.0000 :0000 0000pt 1.0000 :0000-0000 ;0000 0000 0000pt :0000-0000 ;0000 0000 0000
0000 0000 000 1.0000 :00000-0000 ;0000;">
```

```
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center; font-family: sans-serif; font-size: 12px;">
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Figure 1: Comparison of the proposed method with the existing methods.  The proposed method (Proposed) shows superior performance compared to the existing methods (Method A, Method B, Method C) across all metrics.  | Method   | Accuracy (%) | Precision (%) | Recall (%) | F1 Score (%) | |----------|--------------|---------------|------------|--------------| | Method A | 85.2         | 88.5          | 82.1       | 85.3         | | Method B | 87.5         | 90.1          | 84.3       | 87.6         | | Method C | 89.8         | 92.4          | 86.7       | 89.5         | | Proposed | 91.5         | 94.2          | 89.0       | 91.6         | | |

```

```
<table td = "136" valign = "102.5500 :table" = table "tablept; 0.0000 :tablept 5.4000pt 0.0000pt
5.4000pt; 1.0000 :table tablept 1.0000 :table-table ;table table tablept :table-table ;table table table
table table table 1.0000 :table-table-table ;table;">
```

```
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center; font-family: sans-serif; font-size: 12px;">
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Table 1: Summary of Data Series A  Series A Data (Values in thousands)   | Year | Q1   | Q2   | Q3   | Q4   | |------|------|------|------|------| | 2018 | 12.5 | 15.2 | 18.7 | 20.1 | | 2019 | 14.8 | 17.3 | 21.5 | 23.9 | | 2020 | 16.2 | 19.8 | 24.1 | 26.5 | | 2021 | 18.9 | 22.4 | 27.6 | 30.2 | | 2022 | 21.3 | 25.7 | 31.2 | 34.8 |  Series B Data (Values in thousands)   | Year | Q1   | Q2   | Q3   | Q4   | |------|------|------|------|------| | 2018 | 8.7  | 9.5  | 10.2 | 11.1 | | 2019 | 9.2  | 10.1 | 11.3 | 12.5 | | 2020 | 9.8  | 10.9 | 12.1 | 13.4 | | 2021 | 10.5 | 11.7 | 13.0 | 14.3 | | 2022 | 11.2 | 12.5 | 13.8 | 15.1 | | |

```

<td = "136" valign = "top" style="width: 102.5500pt; height: 5.4000pt;">
--

5.4000pt; 1.0000 :[] []pt 1.0000 :[]-[] ;[] [] []pt :[]-[] ;[] [] []
[] [] [] 1.0000 :[]-[] ;[] ; ">

[] []

<[] td = "514" valign = "[]" colspan = "2" 385.6500 :[]" = []pt; 0.0000 :[]pt
5.4000pt 0.0000pt 5.4000pt; 1.0000 :[]-[] ;[] :[]-[]pt ;[] :[]-[] ;[] [] []
[] [] [] 1.0000 :[]-[] ; ">

[] [] PP [] []

<[] td = "136" valign = "102.5500 :[]" = [] "[]pt; 0.0000 :[]pt 5.4000pt 0.0000pt
5.4000pt; 1.0000 :[] []pt 1.0000 :[]-[] ;[] [] []pt :[]-[] ;[] [] []
[] [] [] 1.0000 :[]-[] ; ">

[]

<[] td = "514" valign = "[]" colspan = "2" 385.6500 :[]" = []pt; 0.0000 :[]pt
5.4000pt 0.0000pt 5.4000pt; 1.0000 :[]-[] ;[] :[]-[]pt ;[] :[]-[] ;[] [] []
[] [] [] 1.0000 :[]-[] ; ">

2 [] / ctn

<[] td = "136" valign = "102.5500 :[]" = [] "[]pt; 0.0000 :[]pt 5.4000pt 0.0000pt
5.4000pt; 1.0000 :[] []pt 1.0000 :[]-[] ;[] [] []pt :[]-[] ;[] [] []
[] [] [] 1.0000 :[]-[] ; ">

CBM

<[] td = "514" valign = "[]" colspan = "2" 385.6500 :[]" = []pt; 0.0000 :[]pt
5.4000pt 0.0000pt 5.4000pt; 1.0000 :[]-[] ;[] :[]-[]pt ;[] :[]-[] ;[] [] []
[] [] [] 1.0000 :[]-[] ; ">

0.10 / pc

<[] td = "257" valign = "192.8000 :[]" = [] "[]pt; 0.0000 :[]pt 5.4000pt 0.0000pt
5.4000pt; 1.0000 :[]-[] ;[] :[]-[]pt 1.0000 :[]-[] ;[] :[]-[] ;[] [] []
[] [] [] ; ">


20GP

<[] td = "257" valign = "192.8000 :[]" = [] "[]pt; 0.0000 :[]pt 5.4000pt 0.0000pt
5.4000pt; 1.0000 :[]-[] ;[] :[]-[]pt 1.0000 :[]-[] ;[] :[]-[] ;[] [] []
[] [] [] ; ">

280-350

[]		
[] / []	[] W idth	64
	[] [] epth	60
	[] [] []	100-108
	[] W idth	49
	[] [] epth	49
	[] [] []	49-57
	[] W idth	8
[] / [] [] '	40HQ	
	680-750	





• ENGINEERING CASE •



OUR PHOTOS



CERTIFICATE

B. 100% □□□□□□ □□□□□□.

□□□□ □□□□□□ □□□□□□ .□.

F. 000000) 00000 0000).

[illegible]

□□ □□□□□□ □□□□□□□□, □□□□□□ □□□□□□ □□□□□□, □□□□□□ □□ □□□□ □□□□ □□□□□□□□

□□□□ □□□□□ □□ □□□□□□□□ □□□□□□□ □□□□.

Q1: 如何選擇合適的模型？

: 000000 0000 00 0000 7-15 000000 000000 000000 00 .000 00 0000 000000 000000 .000.

□□□□ □□□ □□□ □□□□ □□□ □□□ :2 □?

□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ :□.

□□□□ □□□□□□ □□ □□□□□□ □□□□ □□□□ □□□□ □□□□ :3 □?

es, 100% de los estudiantes de la muestra. Los resultados de la encuesta se detallan en el anexo 5.

□□□ □□□□ □□ □□□□ □□□ □□□ :4 □?

: 00000000 0000 0000 0000 0000 00000000 000000 000000.

00000000 00000 00 00000 00:50?

: 00000 00000000 0000 T / T (0000000 00000 70% 0000000 ,00000000 00000 30% 0000000),

0000000 00000000 pls 000000000 0000 00 00000.

=====● CONTACT US ●=====



Manager : Rachel

Whatsapp/Wechat:

0086-13590681820



E-mail:

rachel@new-city.cn